



Homework 2

CS 354, BME 345

Due Oct 4 at the beginning of class

1. (5 points) Vector $\mathbf{v} = [x\ y\ z\ 0]^T$ is rotated about the x-axis until it lies in the xz plane. The new vector is \mathbf{v}' . What is $|\mathbf{v}'|$ (the length of \mathbf{v}')?
2. (5 points) Using \mathbf{v}' from problem 1, \mathbf{v}'' is the projection of \mathbf{v}' onto the z axis. What is $|\mathbf{v}''|$?
3. (10 points) Happy Harry is happy even when he's sleeping. Give a series of 3x3 2D transformation matrices (using homogeneous coordinates) in the proper order to transform Happy Harry from his awake position centered at (x, y) (figure a) to his sleeping position centered at $(x, 0)$ (figure b). Leave any trigonometric functions unevaluated (leave rotation matrices in terms of sine and cosine).



4. (5 points) A wireframe cube (see wikipedia: "wire-frame model") is placed at the origin. The camera is placed using `gluLookAt(0, 0, 5, 0, 0, 0, 0, 1, 0)`. Using perspective projection, sketch what will be rendered on the screen.
5. (10 points) The camera is placed using `gluLookAt(0, 10, 5, 0, 5, 0, 0, 1, 0)`. What are the coordinate axes $\mathbf{u}, \mathbf{v}, \mathbf{n}$? Show your work.
6. Consider the following code:

```
glutInitWindowSize(500, 500);
glMatrixMode(GL_PROJECTION);
glLoadIdentity();
glFrustum(-1, 1, -1/3.0, 1/3.0, 1, 3);
glMatrixMode(GL_MODELVIEW);
glLoadIdentity();
gluLookAt(0, 0, 2,
          0, 0, 0,
          0, 1, 0);
glColor3f(0, 0, 0);
glutWireCube(2);
```

- (a) (5 points) Sketch what will be rendered.

- (b) (10 points) What percentage of the cube's volume lies inside the view frustum?