No class Wed (No office hours this week) Final Exam • Thurs. Dec 12, 8-10 am (here, WEB L126) • Open everything • Heavily based on HW. (Solutions posted)

No class Wed D.ec 4

Math 5760/6890: Introduction to Mathematical Finance The Black-Scholes-Merton Model – European Call Options See Petters and Dong 2016, Section 8.1-8.2

Akil Narayan¹

¹Department of Mathematics, and Scientific Computing and Imaging (SCI) Institute University of Utah

Fall 2024





The model assumptions

Before discussing details of the Black-Scholes-Merton model, we list some assumptions:

- No-arbitrage
- No transaction costs
- Easy availability of a risk-free security with a(n annual) rate r > 0
- Liquidity of assets: fractional shares of any amount are permitted to be bought and sold
- Unlimited short selling permitted
- Existence of a risky asset without dividends

D24-S02(a)

The model assumptions

D24-S02(b)

Before discussing details of the Black-Scholes-Merton model, we list some assumptions:


- No-arbitrage
- No transaction costs
- Easy availability of a risk-free security with a(n annual) rate r > 0
- Liquidity of assets: fractional shares of any amount are permitted to be bought and sold
- Unlimited short selling permitted
- Existence of a risky asset without dividends

The main question we'll provide analysis for: For a derivative with the risky asset as underlier, what should the price/premium of the option be?

We'll use notation that is fairly typical at this point:

- t = 0 is today, t = T > 0 is a fixed terminal time
- S_t is the (per-unit) underlier price at time t
- $f(S_t, t)$ is the (per-unit of S) price of a derivative with S_t as underlier
 - Typically we know $f(S_T, T)$ (e.g., from a payoff diagram)
 - We want to identify $f(S_0, 0)$, the price at time 0 (the premium)





The hedging portfolio

One basic idea is the following: we will form a portfolio that hedges against the value of the derivative.

I.e., suppose we hold one share of the derivative with price f – we seek to create a portfolio that hedges against the value of the derivative as it fluctuates with the underlier price.

So what is the change in f with respect to changes in S?

The hedging portfolio

One basic idea is the following: we will form a portfolio that hedges against the value of the derivative.

I.e., suppose we hold one share of the derivative with price f – we seek to create a portfolio that hedges against the value of the derivative as it fluctuates with the underlier price.

So what is the change in f with respect to changes in S?

Mathematically, this is simply $\frac{\partial f}{\partial S}$, and so the infinitesimal change in the derivative value is $\frac{\partial f}{\partial S} dS$.

Hence, we can hedge against f by purchasing shares in S:

$$\mathrm{d}f = \frac{\partial f}{\partial S} \mathrm{d}S$$

The hedging portfolio

One basic idea is the following: we will form a portfolio that hedges against the value of the derivative.

I.e., suppose we hold one share of the derivative with price f – we seek to create a portfolio that hedges against the value of the derivative as it fluctuates with the underlier price.

So what is the change in f with respect to changes in S?

Mathematically, this is simply $\frac{\partial f}{\partial S}$, and so the infinitesimal change in the derivative value is $\frac{\partial f}{\partial S} dS$.

Hence, we can hedge against f by purchasing shares in S:

$$\mathrm{d}f = \frac{\partial f}{\partial S} \mathrm{d}S$$

The idea here: The change in value of f can be offset by holding $\frac{\partial f}{\partial S}$ shares of S.

Therefore, let's create a portfolio P that shorts one unit of the option, and an appropriate number of shares of S to hedge:

$$\mathrm{d}P = -\mathrm{d}f + \frac{\partial f}{\partial S}\mathrm{d}S$$

i.e.,

$$P = -f + \frac{\partial f}{\partial S}S.$$

The portfolio construction strategy we've just described is called (instantaneous) delta-hedging.

- We hedge according to the "delta", $\frac{\partial f}{\partial S}$, of the derivative.
- This requires instantaneous buying/selling of S.

$$\mathrm{d}P = -\mathrm{d}f + \frac{\partial f}{\partial S}\mathrm{d}S.$$


Itô processes

D24-S06(a)

$$\mathrm{d}P = -\mathrm{d}f + \frac{\partial f}{\partial S}\mathrm{d}S.$$

A. Narayan (U. Utah – Math/SCI)






$$\mathrm{d} P = -\mathrm{d} f + \frac{\partial f}{\partial S} \mathrm{d} S.$$

Part of the Black-Scholes-Merton modeling assumption is that the underlier evolves according to a geometric Brownian motion:

$$\mathrm{d}S = \mu S \mathrm{d}t + \sigma S \mathrm{d}B, \qquad \qquad S(0) = S_0,$$

where B is a standard Brownian motion, and (μ, σ) are the continuous-time drift and volatility, respectively.





$$\mathrm{d}P = -\mathrm{d}f + \frac{\partial f}{\partial S}\mathrm{d}S.$$

Part of the Black-Scholes-Merton modeling assumption is that the underlier evolves according to a geometric Brownian motion:

$$dS = \mu S dt + \sigma S dB, \qquad S(0) = S_0,$$

where *B* is a standard Brownian motion, and (μ, σ) are the continuous-time drift and volatility, respectively.

Now recall Itô's Lemma. a function of an Itô process is another Itô process, and its corresponding SDE can be written as functions of the original SDE.

Applying this to $f(S_t, t)$:

$$df = \left(\frac{\partial f}{\partial t} + \frac{\partial f}{\partial S}\mu S + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 f}{\partial S^2}\right)dt + \sigma S \frac{\partial f}{\partial S}dB$$

$$W_{I}M_{h} \quad dP = -\left[f + \frac{\partial f}{\partial S}dS = -\left[\begin{array}{c} & & \\ & &$$

The delta-hedge portfolio

D24-S07(a)

Putting this all together, we have the following evolution law for the delta-hedge portfolio:

$$\mathrm{d}P = -\left(\frac{\partial f}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 f}{\partial S^2}\right) \mathrm{d}t,$$

i.e., this portfolio is <u>deterministic</u>, and hence riskless.

The delta-hedge portfolio

D24-S07(b)

Putting this all together, we have the following evolution law for the delta-hedge portfolio:

$$\mathrm{d}P = -\left(\frac{\partial f}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 f}{\partial S^2}\right) \mathrm{d}t,$$

i.e., this portfolio is <u>deterministic</u>, and hence riskless.

In a no-arbitrage market, the only way this portfolio is an efficient one is if it evolves according to the risk-free security:

$$\mathrm{d}P = rP\mathrm{d}t. \qquad \left(\begin{array}{c} p'(t) \leq r \end{array} \right)$$

The delta-hedge portfolio

D24-S07(c)

Putting this all together, we have the following evolution law for the delta-hedge portfolio:

$$\mathrm{d}P = -\left(\frac{\partial f}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 f}{\partial S^2}\right) \mathrm{d}t,$$

i.e., this portfolio is <u>deterministic</u>, and hence riskless.

In a no-arbitrage market, the only way this portfolio is an efficient one is if it evolves according to the risk-free security:

$$\mathrm{d}P = rP\mathrm{d}t.$$

Then recalling our formula for P

$$-\left(\frac{\partial f}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 f}{\partial S^2}\right) \mathrm{d}t = \mathrm{d}P = rP\mathrm{d}t = r\left(-f + \frac{\partial f}{\partial S}S\right)\mathrm{d}t,$$

i.e.,

$$\frac{\partial f}{\partial t} + rS\frac{\partial f}{\partial S} + \frac{1}{2}\sigma^2 S^2\frac{\partial^2 f}{\partial S^2} - rf = 0$$

The Black-Scholes equation

The PDE we have just derived is called the Black-Scholes (partial differential) equation:

$$\frac{\partial f}{\partial t} + rS\frac{\partial f}{\partial S} + \frac{1}{2}\sigma^2 S^2\frac{\partial^2 f}{\partial S^2} - rf = 0$$

It is typically supplemented with boundary and *terminal* conditions:

f(S,T) = payoff function f(0,t) = 0 for all time f(x,t) for large x

The Black-Scholes equation

The PDE we have just derived is called the Black-Scholes (partial differential) equation:

It is typically supplemented with boundary and *terminal* conditions:

$$f(S,T) =$$
 payoff function
 $f(0,t) = 0$ for all time
 $f(x,t)$ for large x

 $\frac{\partial f}{\partial t} + rS\frac{\partial f}{\partial S} + \frac{1}{2}\sigma^2 S^2\frac{\partial^2 f}{\partial S^2} - rf = 0$

The goal is to identify/compute a solution to the Black-Scholes equation, i.e., f(s, 0).

For sufficiently complicated examples (e.g., non-constant μ, σ), this equation is numerically solved.

However, in simplified cases, we can compute exact solutions.

. (

European options

D24-S09(a)


For a European call option, the payoff is,

$$f(s,T) = \max\{s - K, 0\}.$$

Our asymptotic condition is,

$$f(s,t) \rightarrow s - K$$
, as $s \rightarrow \infty$.
(for S large enough, we will exercise the call)

European options



For a European call option, the payoff is,

$$f(s,T) = \max\{s - K, 0\}.$$

Our asymptotic condition is,

$$f(s,t) \to s - K$$
, as $s \to \infty$.

We can solve this equation analytically (though we'll omit most steps). The basic ideas:

- Reverse time: $\tau = T t$.
- Discount the price: $u(s,\tau) = e^{r\tau} f(s,\tau)$ (get rid of rf term) Transform space: $x \sim \log s + c\tau$ (get rid of $\int \frac{\partial f}{\partial s}$ term)

European options

D24-S09(c)

For a European call option, the payoff is,

$$f(s,T) = \max\{s - K, 0\}.$$

Our asymptotic condition is,

$$f(s,t) \to s - K$$
, as $s \to \infty$.

We can solve this equation analytically (though we'll omit most steps). The basic ideas:

- Reverse time: $\tau = T t$.
- Discount the price: $u(s,\tau) = e^{r\tau}f(s,\tau)$
- Transform space: $x \sim \log s + c\tau$

These transformations make the PDE a rather familiar one:

with H(x) the Heaviside function.

This can be solved with somewhat standard methods, e.g., using the heat kernel:

$$u(x,\tau) = \int_{-\infty}^{\infty} u_0(y) G(x,y,\tau) dy, \qquad \qquad G(x,y,\tau) = \frac{1}{\sigma\sqrt{2\pi\tau}} \exp\left(\frac{-(x-y)^2}{2\sigma^2\tau}\right)$$

Once u(x,T) is computed, we have f(s,0).

European call

D24-S10(a)

The solution for the European call is:

$$f(s,t) = \Phi(d_+)s - \Phi(d_-)Ke^{-r(T-t)},$$

where $\Phi(\cdot)$ is the CDF of the standard normal:

$$\Phi(y) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{y} e^{-x^2/2} \mathrm{d}x,$$

and d_{\pm} are given by,

$$\begin{aligned} d_{+} &= \frac{1}{\sigma\sqrt{T-t}} \left(\log\left(\frac{s}{K}\right) + \left(r + \frac{\sigma^{2}}{2}\right) (T-t) \right), \\ d_{-} &= d_{+} - \sigma\sqrt{T-t} \end{aligned}$$

Note that this allows us to price the derivative for any $t \in [0, T]$.



Petters, Arlie O. and Xiaoying Dong (2016). An Introduction to Mathematical Finance with Applications: Understanding and Building Financial Intuition. Springer. ISBN: 978-1-4939-3783-7.